

High-Speed, All-in-One A4 Color

# IM C530FB

☑ Copier ☑ Printer ☑ Facsimile ☑ Scanner



## Future-proof your processes

Want your team to work faster without compromising on quality? You don't need to create yet another time management training course. There's a much smarter way to boost productivity. Introducing the IM C530FB — the high-speed, compact, all-in-one device that does all of the heavy lifting for you, as quick as a flash. This means your team can focus on the areas and tasks that enable them to get their work done...instead of having to wait for that 87-page report to get printed without a paper jam.

Our new A4 color device is specifically designed to boost your team's productivity efficiently and effectively. The IM C530FB optimizes digital workflows with apps and solutions available in the cloud. As a result, all of your processes can work seamlessly, without costly interruptions or waiting times.

- Work faster: Seamlessly print up to 55 pages per minute, cut waiting times and boost productivity.
- Optimize digital workflows: Share and instantly use all types of information, thanks to the MFP cloud connection.
- Scale up at your own pace: Easily customize, manage and add new features to your device, using the new 7" touchscreen control panel.
- Save space: The IM C530FB is a compact device designed to take up less space and leave more room for your pressing needs.
- Seamlessly print documents: Print up to 2,700 sheets without interruption and make light work of printing tasks.
- Intuitive and fast operation: The 7" Smart Operation Panel provides consistent operability across multiple devices in our portfolio. Simply follow the steps on screen.

Think of all of the things you can do in a matter of seconds on your smartphone. Now imagine what your team could achieve with the IM C530FB — the high-speed, all-in-one printer designed to significantly optimize your workflows and scale up productivity.



**Lanier IM C530FB**  
Outstanding A4 Color MFP  
for Enterprise Environments

# Optimize your workflows and boost productivity with minimum hassle

## High-speed A4 color printing

The IM C530FB, with its optional large capacity tray, has the ability to seamlessly print up to 55 pages per minute and deliver up to 2,700 pages without compromising quality. The UI provides consistent operability across multiple devices in our portfolio — so once you learn one device, you can effortlessly use any of them.



## Fully digitalized workflows = flawless processes

Today's fast-paced working environment dictates that you always stay connected and meet expectations as quickly as possible.

The IM C530FB gives you an advantage in this digital era, with easy-to-use workflow apps that connect your printer to your preferred third-party cloud services. What's more, when the optional Streamline NX software is added, the IM C530FB lets users restrict access to print output to the document owners only, via the Secure Release feature. This gives you total control over who gets access to documents, whether they're members of your team or clients.

## Future-proof technology to spearhead your business growth

There's no need to keep replacing your devices to get access to new features and functionalities. With our Always Current Technology, you'll instantly receive the latest updates and always stay one step ahead. The IM C530FB allows new software features, applications and upgrades to be downloaded and installed directly to your device on request. This way, the ever-changing needs of your business are promptly met — allowing you to future-proof your company's growth, without having to wait for a technician to update your device for you.



# LANIER IM C530FB

## MAIN SPECIFICATIONS

### IM C530FB

#### GENERAL

Warm-up time	39 seconds
First output speed: B/W	4 seconds
First output speed: full color	4.2 seconds
Continuous output speed	55 ppm
Memory: standard	2 GB RAM / 32 GB eMMC
Memory: maximum	2 GB RAM / 32 GB eMMC
SPDF capacity	100 sheets
Weight	83.8 lbs
Dimensions: W x D x H	18.5" x 19.8" x 25.3"
Power source	120V – 127V, 12A, 60Hz

#### COPIER (STANDARD)

First copy speed	B/W: 6.5 seconds, Color: 6.6 seconds
Multiple copying	Up to 999 copies
Resolution	1,200 x 1,200 dpi
Zoom	From 25% to 400% in 1% steps

#### PRINTER (STANDARD)

CPU	Cortex-A53 1.2 GHz
Printer language: standard	PCL5c, PCL6, Adobe® PostScript® 3™ (emulation), PDF direct (emulation)
Print resolution: standard	PCL5c: 300 dpi, 600 dpi PCL6: 600 dpi, 1,200 dpi PS3: 600 dpi, 1,200 dpi 1,200 x 1,200 dpi
Print resolution: maximum	1,200 x 1,200 dpi
Network interface: standard	Ethernet 10 base-T/100 base-TX/1000 base-T, USB Host I/F Type A, USB Host I/F Type B
Network interface: option	Wireless LAN (IEEE 802.11a/b/g/n)
Mobile printing capability	Apple AirPrint, Smart Device Connector
Windows® environments	Windows® 7, Windows® 8.1, Windows® 10, Windows® Server 2008, Windows® Server 2008 R2, Windows® Server 2012 R2, Windows® Server 2016
Mac OS environments	Macintosh 8.6 or later (OS X Classic), Macintosh OS X v10.12 or later
UNIX environments	UNIX Sun® Solaris (9), HP-UX, (11.x, 11i v2, 11i v3), SCO OpenServer (5.0.7, 6.0), RedHat® Linux Enterprise (4, 5, 6), IBM® AIX (V6.1, V7.1, V7.2), Citrix XenApp (7.15 or Later)
SAP® environments	SAP® R/3®, SAP® S/4®

#### SCANNER (STANDARD)

Scanning speed: SPDF	Simplex: B/W 49 ipm (LT, 200dpi), Color 47 ipm (LT, 200dpi) Duplex: B/W 75 ipm (LT, 200dpi), Color 55 ipm (LT, 200dpi)
Compression method	B/W: TIFF (MH, MR, MMR), Grayscale Color: JPEG
File formats	Single page: TIFF, JPEG, PDF, High compression PDF, PDF/A Multi page: TIFF, PDF, High compression PDF, PDF/A
Scan modes	E-mail, Folder, USB, SD Card

#### FACSIMILE (STANDARD)

Circuit	PSTN, PBX
Transmission speed	G3: Approx. 3 seconds (200 x 100 dpi, MMR, ITUT #1 chart, TTI off, memory transmission)
Modem speed: maximum	33.6 Kbps
Resolution: standard	8 x 3.85 line/mm, 200 x 100 dpi 8 x 7.7 line/mm, 200 x 200 dpi
Compression method	MH, MR, MMR
Scanning speed	SPDF used A4/LT SEF
Page memory size: standard	9.7 MB
SAF memory size: standard	4 MB (approximately 320 pages)

# LANIER IM C530FB

## MAIN SPECIFICATIONS

### IM C530FB

#### PAPER HANDLING

Recommended paper size	Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Env) Optional paper tray: LCIT (A4, LT) Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper)
Paper input: standard	550 sheets
Paper input: bypass	150 sheets
Paper input: maximum	2,700 sheets
Paper output: standard	400 sheets
Paper weight	Trays: 60 – 220 g/m <sup>2</sup> Bypass: 60 – 220 g/m <sup>2</sup> Duplex: 60 – 176 g/m <sup>2</sup>
Paper types	Plain, Recycled, Special 1-3, Letterhead, Envelope, Coated, Middle Thick, Thick 1, Thick 2, Label

#### ECOLOGY

Power consumption: maximum	Less than 1,600 W
Power consumption: sleep	0.74 W
Power consumption: TEC <sup>1</sup>	0.77 kWh/week
ENERGY STAR <sup>®</sup>	Certified
EPEAT <sup>®</sup>	Silver Rated* *EPEAT Silver rating is applicable only in the USA.

#### PAPER HANDLING OPTIONS

2,000-sheet Large capacity tray	Paper size: (A4, LT), Paper weight: (60 -176 g/m <sup>2</sup> )
---------------------------------	---

#### OTHER OPTIONS

IEEE 802.11 a/b/g/n

#### CONSUMABLES

Starter toner	Black: 7,500 prints Cyan: 4,500 prints Magenta: 4,500 prints Yellow: 4,500 prints
Toner: black	20,500 prints
Toner: cyan/magenta/yellow	18,000 prints

Consumable yield measuring method 5% chart



<sup>1</sup>TEC value is measured based on the ENERGY STAR Ver. 3.0 test method.

Some options may not be available at the time of market release.

Specifications are subject to change without notice.

For maximum performance and yield, we recommend using genuine Lanier parts and supplies.

Some features may require additional options and/or charges.

Ricoh USA, Inc.

300 Eagleview Boulevard  
Exton, PA 19341



1-855-5-LANIER



www.lanier.com

**LANIER**

Ricoh USA, Inc., 300 Eagleview Boulevard, Exton, PA 19341, 1-855-5-LANIER  
©2021 Ricoh USA, Inc. All rights reserved. Lanier™ and the Lanier logo are trademarks of Ricoh USA, Inc. Ricoh® and the Ricoh Logo are registered trademarks of Ricoh Company Ltd. All other trademarks are the property of their respective owners. Lanier products and services are offered by Ricoh USA, Inc. and its affiliates. The content of this document, and the appearance, features and specifications of Lanier products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Lanier products and services are as set forth in the express warranty statements accompanying them